

Leaders in quality supplies of medical equipment, Lab consumables, Non-pharmaceuticals and servicing of medical equipment



P.O. BOX 29674-00100 Alphana Business Park Old Mombasa Road, ICD AREA Nairobi.

Tel: +254112166455, +254733363667

Email: info@morabgroup.com Web: www.morabgroup.com

5th February, 2025 ATTN. To Whom it may concern, Dear Sir/Madam

#### **RE: INTRODUCTION LETTER.**

It is our pleasure to introduce Morab Group Limited, a Medical Supplies and Equipment company established in Kenya in 2021 and is currently operating as a new entity in the Medical Supplies and Equipment Market. We are conceived in three basic pillars of our services; **Professionality**, **Integrity**, **effectiveness**, **timeliness** and **excellence**; which we trust are fundamentals for any supplies company, especially in the medical field.

We are interested in doing business with your company and would hereby propose to be your sole supplier in Kenya and the East African Region, subject to any existing contracts with any other supplier.

It would be an honor to work with you in meeting your supply needs as distributors in medical supplies in Kenya and the East African region at large. Morab Group Limited stands prepared to address your distribution and marketing needs. We are aware of your requirement for large scale distribution structures with efficient distribution networks and ready to order clientele. We have fashioned a distribution network that will effortlessly meet these needs.

Within the next several days, I will contact your office to schedule a meeting so that we may discuss the best approach in our intended partnership. Prior to a possible meeting, we will research further into your company's contracting requirements so that we are well prepared to have a fruitful conversation that will benefit both our companies and help us to build a business alliance. We also request that you send us any information, which, in addition to your website will further inform us about your company. If you would like to research about our company, please visit our website via: www.morabgroup.com

We hope that this letter of introduction interests you and acts as a trigger to our prospective working relationship. Should you have any questions, please contact the undersigned.

Thank you

Kind Regards, Scholar Moraa Omayo, Group Chief Executive Officer-Founder,



## **About The Company**

<u>L</u>eaders in quality supplies of medical equipment, Lab Consumables, Non-pharmaceuticals, Servicing of Medical Equipment and Fabrication of Hospital Furniture and Linen Equipment.

#### **Quality Assured Services**

- We import and sell new/refurbished Medical Equipment and locally fabricated Hospital furniture.
- We manage scheduled preventive maintenance program
- We install, set up and test-run a variety of equipment
- we provide training and technical assistance to your biomedical staff.
- Our calibration services meets international acceptance standards.
- we repair and service a large variety of medical equipment

#### **Trusted Brands**

At our company we take pride in partnering with trusted brands in the Medical Equipment Industry ensuring that we deliver reliable and high-quality solution to our valued customers.

#### we offer:-

- Huge selection
- Always affordable Price
- Fast Shipping

### VISION

Our Vision is to be the leading Distributor of Medical Equipment and Non Pharmaceuticals in Africa and the whole region

## **MISSION**

- To distribute quality Medical Equipment
- To supply in timely Manner
- To be efficient
- To be reliable

#### **PARTNERS:**









## Service Overview

#### **Equipment Sale**

Whether you need a single replacement part or a complete Medical equipment overhoul, our team of experienced professionals is dedicated to providing quality equipment and parts to keep your operation running smoothly

#### **Installation Set Up**

Morab Group Limited can install, setup and test-run your equipment search. we also customize equipment according to the architecture of your facility

#### **Calibration Services**

We provide calibrations to international acceptable standards. Our professional technicians will work to ensure your equipment offers accurate readings during every use.

#### Maintenance and Repair

Morab Group Limited has experienced and factory trained biomedical technicians who provides you with labelled equipment and paper work for inspecting agencies.

## **CONTACT US**

#### Address 1



Alphana business Park Old Mombasa Road ICD Area, Nairobi-KENYA

#### Address 2

Omayo Plaza, 2nd Floor Room 34,35 Nyamira, Opposite Nyagi Energy Petrol Station.









## **TABLE OF CONTENTS**

Clinical Laboratory Equipment	8-13
Lab Consumamble	15-18
Maternity Equipment	19-20
Diagnostic Equipment	21
Hospital Furniture	23-29
Mobility Aid	30-31
Dental Equipment	21-35





Address:

















LABORATORY EQUIPMENT

**CONTACT US** 

info@morabgroup.com www.morabgroup.com

Address:



Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### HT-300 DIFF AUTO HEMATOLOGY ANALYZER

- 21 Parameter and 3 histograms
- Constant speed; 60 samples/hour
- Sample volume: 20ul
- Reagent system: 2 reagents
- Data storage: 50000 results including hsitograms
- Dimension (LxWxH): 390\*285\*390mm
- Weight: 18kg

#### **AUTO (DRY) CHEMISTRY ANALYZER**

- It is a multi-functional bench top clinical chemistry analyzer with a through put upto 140T/H.
- It features 24hr non-stop cooling stable heating for reaction, bilateral LIS etc.
- It is a compact chemistry solution for small laboratories and back-up tool for mid-tohigh end laboratories
- Fully automated, random access, open system
- Upto 240 T/H (without ISE)
- wash and non-wash system both available
- 40 reagent position and 40 sample positions
- Barcode reader and internal PC optional
- Support bilateral LIS, HL7 protocol



### ChemNeo 100 SEMI- AUTOMATED CHEMISTRY ANALYZER



- Endpoint, fixed-time kinetica and turbidometry
- Photometric range: 0-3.2 ABS
- Accuracy: 0.0001A
- 7.0" TFT touchscreen display
- Long lifetime halogen lamp
- Permanente quartz flow cell
- Built-in thermal printer
- Reaction curve real time display

#### **CONTACT US**





Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### HTY-100 IMMUNOASSAY ANALYZER

- Connected to LIS by COM/USB
- LCT Touch Screen
- Internal Thermal Printer
- 264mm\*233mm\*142mm
- Weight: 2.2kg
- Over 200 Tests per hour

#### CBS-500 ELECTROLYTE ANALYZER

- Throughput: 60 samples per house
- 100-200ml Ion:K+, Na+,Cl-, iCa2+, pH, Li+
- Customized selection of ions
- Optional closed reagent, realtime monitoring reagent
- Printer: Internal thermal printer
- Display: LCD
- Storage: Upto 50,000 results
- Interface: RS-232, support LIS
- Reagents: DS-I (N0.3)
- Standard A and B cleaning solution
- PVC electrode activating solution
- DS-Ref. filling solution
- DS-ISE filling solution
- DE protein solution





#### **TABLE TOP STERILIZER**

 Table pressure steam sterilizer shell is by spray-paint 20l 115-134 C





Address:









- Dual function
- Tiny sample volume
- Strong anti-interference
- Clinically proven accuracy
- Test time: 5-25 seconds

#### HB MISSION PLUS HEMOGLOBIN METER

- Precise results equivalent to laboratory analyzers
- wide HB measurement range of 4.5 - 25.6g/oi
- Calculated het range of 13-75%
- Portable handheld
- large easy to read LCD
- Optional test devices minimize cintamination
- Results in less than 15 seconds
- auto-calibration
- Stores up to 1,000 results
- fast data transfer via mini USB port





#### PALMLAB SLX-120/121 ANALYZER

- Eight testing indicators
- Fast throughout
- Reliable lipid test results
- Data management: USB online printing and bluetooth data transmission





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA





#### SAFE AQ BLOOD GLUCOSE METER



- Fresh capillary whole blood venoys whole blood
- 1.1mmol.L~33.3mmol/L
- 20~600mg/dl
- 2 AAA Alkaline batteries 3V DC

#### **URINE ANALYZER**

- Its a compact semi-auto urine analyzer with user friendly software
- Built-in thermal printer allows user to print results automatically
- 5" Touchscreen
- Strips: 11 parameters (Glucose, Bilirubin, ketone, Specific gravity, Blood, pH, protein, Urobilinogen, Nitrite, Leukocyte and Vitamin C)
- 100 samples/hour
- Reagents: BA-11A strip
- Dual wavelength reflectance test method





#### LABORATORY BLOOD MIXER

- Roller size: 4 Nos. X 230mm Lg
- Main Input;230v, 50Hz/110v, 60Hz, AC
- RPM: 30 RPM/36 RPM
- Mixing Time: 15-20 minutes
- Weight: 2.0kg
- Has speed control
- Easy to operate
- Comes with one year warranty

**CONTACT US** 





Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### LABORATORY ROLLER MIXER

- Roller mixer RM-500
- Size: 4 Nos \*230mm long
- RPM: 30RPM/36RPM
- Mixing time: 15-20 minutes
- Plastic rollers that are suitable for use with a variety of tubes
- No. of rollers: 6.6 speed 33rmp 5-60rpm
- Amplitude: 16mm Maximum load: 5kg
- Controls: analogue with speedcontrol

#### **MICROSCOPE 107BN**



- Translation rotation grasping 160\*110mm 240\*140\*180 deg 25mm ±
- Forces, translation grasping 12.0 N 8.0N
- Resolution translation rotation grasping <0.01mm, 0.09 deg 0.006mm, closed-loop, 14.5 N/mm
- Dimension: L\*W\*D-270mm \* 300mm \* 350mm
- Interface: standard
- Stiffness X: X closed-loop
- Forces X: Xtranslation grasping
- Easy operation
- One year warranty

#### **CENTRIFUGE 12 TUBE**



- The mini micro centrifuge is an affordable compact table to centrifuge with Microprocessor control and robust construction
- Fixed angle rotor unit with 12X 1.5/2.0ml tubes or 0.2ml PCR tubes
- Maximum speed: 13,500rpm with RCF of 12,300><g with timer and speed control
- One year warranty





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### **CENTRIFUGE 6 TUBE MODEL NE010G**

- With timer & speed control
- Tube Dimension: 6\*15ml maximum inclined  $45^{\circ}$
- 18mm hole diameter bucket
- Maximum tube length 125mm or 120mm conical capped
- One year warranty

#### VDRL SHAKER

- Platform size: 300\*300mm
- Supplied power: 220/230 volts A.C
- 70-350 RPM speed
- Accommodate wide range of VDRL slides, Small flasks, Bottles & Beakers.
- Compact design ideal for low bench space
- One year warranty





#### HANDHELD PULSE OXIMETER

- Measure SP0@+PR+Temp
- High resolution- 3.5" color LED display rotating screen for maximum clarity
- Visual & sound alarms
- Light & compact handheld design
- Supplied with clip and case to attach to pillow
- Uses AA size alkaline or rechargeable batteries.

#### **BIOSAFETY CABINET**

- Size: 3/4/5/6 foot (0.9/1.2/1.5/1.8m)
- Filter Specification: H14 HEPA EN 1822,99.995% MPPS
- Sound pressure level: <62/63 dB (3/4 foot models)</li>
- Microprocessor control system
- Automatic door opening and closing
- Easy to operate
- One year warranty









Address:











info@morabgroup.com www.morabgroup.com

#### Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### **PIPETTE**

- The precision and accuracy of the sample availability measure obtained is very precise.
- Packaging: 1 unit Available
- Fixed Pipette Stock Available: -Size 5 UL - Size 10 UL - Size 100 UL - Size 500 UL

#### PIPETTE TIPS

- 100pl
- Autoclavable (max 121°C)
- Colour: Blue, Yellow & Clear
- Fits Eppendorf, Gilson, Biohit, Socorex and Finn pipette
- Special grade pilypropylene
- Non-wetable



#### VACUTAINER PLAIN TUBES







**PURPLE TOP** 



YELLOW TOP

- Maximum level is 4ml
- For whole blood, serum and plasma collection
- Has anticlotting gel
- Clear level indicator
- 50-60% full without overfill
- Permanent separation of blood cell, serum and plasma hence does not allow remixing of the three

#### **CONTACT US**









#### SAFE AQ BLOOD GLUCOSE TEST STRIP



- 50 test strips
- 50 Lancets
- Used with safe AQ smart blood glucose meter

#### **URINALYSIS STRIPS**

- IVD Reagent
- Unit size: 4cm\*4cm\*12cm;
- Unit weight: 0.065 kg
- Parameters: 2-14 (URO, BLD, KET, GLU, PRO, pH, BIL, NIT, SG, LEU, VC, CA, MALB, CR)





#### **SALMONELLA**

 Typhoid AG test cassette

#### **HEPATITIS**

• (S/P) test strip







Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### **VDRL**

• Syphilis AB test strip



#### **H.PYLORI**

#### AG

 Antigen test cassette



AB

 Antibody test cassette





#### **MALARIA P.L**

 Antigen Test cassettee

#### **HCG**

 Pregnancy test strip (URINE)

info@morabgroup.com

www.morabgroup.com



#### **CONTACT US**











**HB MISSION PLUS** 



ON CALL PLUS
BLOOD GLUCOSE
TEST STRIPS



**ALCOHOL PADS** 



**NEBULIZER** 



APPLICATOR STICK



FROSTED SLIDES

## LAB CONSUMABLE



**URIC ACID STRIP** 



DIGITAL THERMOMETER



**THERMOGUN** 

**CONTACT US** 



Address:









#### **BABY WARMER**

- Longer service life,
- Excellent performance
- Low maintenance and easy handling
- Advance microprocessor controlled system with self-check on the electronic circuitry skin/ air/ manual
- Digital display of baby temperature / air temperature.
- Soft touch display of control temperature.
- Manual / servo two function control modes provide the clinician more flexibility while optimizing the thermal environment. In addition the skin / Air temperature is larger than the other set temperature display.
   Skin temperature can be converted from degree C to degree F by the push of a button.
- Facility to converting the warmer from servo mode to manual mode for non stop working. In Manual mode warmer will start from 40% heat and can be increased up to 99% according to usage.
- Heater Assembly: The heater assembly located above the center of the support structure consists of radiant heater and reflector with inbuilt halogen examination lamp for assessment of infant color









#### **BABY INCUBATOR (BI)**



- Microprocessor based servo controlled temperature system
- Control mode: Air mode
- Humidity is adjustable in two grades
- Set temperature, air temperature, heating power are displayed separately by LED
- Self testing function, various failure alarms by audible and visual
- >37°C temperature set function
- Triple protection for over temperature with separate cut off device, more safety system
- The inclination of infant bed is adjustable
- Single wall hood, 4 operating windows and 2 iris ports
- RS232 connector







## SINOCARE ARM TYPE ELECTRONIC BLOOD PRESSURE MONITOR



- B Pressure Indicator / Indicator of Value
- Memory Icon / Heartbeat Icon
- High Pressure (Pressure of Systolic) / Low Pressure (Pressure of Systolic)
- Groups of User / Memory Group
- Pulse Display Number

#### **FETAL MONITOR**



- 7 inch LCD display, folding 90 degree
- A Lithium-ion battery allows for 4 hours continuous work time
- TOCO probe (1x)
- Fetal movement marker (1x)
- Power adapter (1x)
- Power cable (1x)
- Printer paper (150 sheets)
- SpO2 probe
- NIBP cuff
- 3 in 1 probe (FHR transducer, TOCO transducer, FM)
- Rolling cart

#### **ECG MACHINE**



- 12 channel ECG machine with a high resolution 7" screen with pen fro touch screen
- rechargeble battery works for 3 hours
- 1000 records internal memory
- Build in printer and support external laser printer to achieve A4 size report
- USB transfer data

#### PATIENT MONITOR



- 12.1" TFT touch screen
- Fixed handle
- Auto dust shield
- Handwriting pen, SD card and USB port
- Wall mount, rolling stand
- 4000mAh Li-ion battery
- Support wire & wireless central monitoring system

#### **CONTACT US**





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA

#### Phone:



+254112166455 +254733363667





#### **CONTACT US**



info@morabgroup.com www.morabgroup.com

#### Address:



Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA

#### Phone:



+254112166455 +254733363667





#### THREE FUNCTION MANUAL BED WITH ABS HEADBOARDS

- Epoxy coated bed frame
- Collapsible stainless steel side rails
- Detachable ABS engineering plastic headboards
- 3 function which can be operated by crank
- 4 dia-125mm castors with brakes



### DOUBLE CRANK HOSPITAL BED

- Adjustable in two position
- ABS head & foot boards can be removable
- Aluminum alloy side rails, collapsible type with safe lock
- Bed framework made from mild steel ERW rectangular tubes
- Dimension: 1080mm \* 970mm\* 500mm



#### SINGLE CRANK BASIC HOSPITAL BED WITHOUT CASTORS

- ABS head & foot boards can be removable
- Bed framework made from mild steel ERW rectangular tubes.
- With telescopic SS IV pole and previsions.
- 1 function adjusted by hand crank:
- Backrest lifting angle: 80°±5°

#### **CONTACT US**





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### SINGLE CRANK BASIC HOSPITAL BED

- Epoxy coated cold-rolled steel bed platform and frame
- Head & footboard: ABS, detachable
- Side rails: 2pcs aluminium alloy, collapsible
- Castor: Diameter of 125mm, two with brakes

#### SINGLE CRANK BED LOCALLY FABRICATED

- Dimensions: 1880mm X
   910mm X 490mm
- Frame: Sadocryl coated frame
- Platform: Sadocryl coated steel
- Independent brake castors
- Adjustable guardrails



## WARD BED WITHOUT CASTORS & SIDE RAILS



- (30\*8)mm Grinder coting ratchet
- Operated adjustable with 25mm tubular backrest
- Enable safe and easy adjustment of the patient backrest
- Sadocryl coated frame manufactured from a 32mm tubular mild steel

#### **EXAMINATION COUCH**

- Safe & easy adjustable backrest
- High grade macknitosh fitted to cover mattress
- Sadocryl coated frame







Address:







#### **EMERGENCY TROLLEY**

- Mainly made of ABS plastic and steelplastic, aluminum and stainless steel, easy to clean and corrosion-proof
- ABS table top with transparent dustproof pad
- convex design avoid dropping down
- Five- Layer swallow-tail-handle drawer with centralized lock and plug-in label to avoid dust
- Equip with: defibrillator shelf, stretchable stand and sliding side shelf for writing, two trash cans, flexible material storage, needle disposal holder, back side
- C.P.R board,5M power line, oxygen tank holder anti-static and wrap-hairproof
- Size:750\*475\*930mm
- Convex size:512\*433\* 12mm
- ABS drawer with 3\*3 divider for arbitrary partitioning
- Two smaller drawer panel height: 80mm,Inner size:424\*375\*68mm
- Two middle drawer panel height: 120mm, Inner size:424\*375\*110mm



#### **INSTRUMENT TROLLEY**

- 2 s/s shelves with perimetrical rim
- S/S table top with back guardrail
- S/S lower shelf with guardrail on 3 sides
- Built in handles
- Dimensions: 50X70X85 cm

#### **OVERBED TABLE**

- 800\*410\* 780-1130mm
- Powder: coated steel
- Height adjustable
- Moved as they have castors







Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### 3 FOLD WARD SCREEN

- Framework made of stainless steel material
- Epoxy powder coating
- 3 fold partition on leg
- With 50mm swivel castors
- Fabric upholstery screen

#### **4 FOLD WARD SCREEN**

- Epoxy powder coating
- 4 fold partition on leg
- With 50mm swivel castor
- Fabric upholstery screen





#### LINEN TROLLEY

- Removable bag (Various colours)
- 4 wheels (2 braked)
- Dimensions size: 50X50X90 cm

#### **IV/INFUSION STAND**

- Framework made of quality stainless steel materials
- Stand made of quality stainless steel materials with adjustable stainless steel IV pole.
- 5 stainless steel prong legs.
- 50mm swivel castors
- · Height adjustable by screwknob
- Double IV hook
- Stable and heavy duty



#### **CONTACT US**










#### **DRIP STAND**

- Stand made of quality stainless steel materials with adjustable stainless steel II pole
- Stainless steel 3 prong legs
- 50mm swivel castors
- Height adjustable by screw knob
- Two hooks
- Stable and heavy duty

#### LAB STOOL

- Stool with injected rubber seat
- Adjustable height by means of gas spring
- Height range: 500~700mm
- Base made in ABS plastic with 4 branches, 50mm castors or end stops to choose







- Made of mild steel
- 2/3 seater
- Blue/Black in colour
- Well Furnished

#### BEDSIDE LOCKER

- Size: L850xW490xH530mm
- Material: ABS, Four castors
- Cabinet top, drawer, tray, layerboard, door and the base are made of ABS
- Towel hangers on the 2 sides of cabinet
- Dinning board is between the drawer and tabletop commodity can be put in it
- It could match hospital bed and home be
- 5 colors for your choice















**DELIVERY BED** 



LOCAL BABY WARMER



MILD STEEL BABY
COT LARGE



**MAYO TROLLEY** 



PATIENT MONITOR STAND



**BABY CRIB** 

## HOSPITAL FURNITURES



**BABY COT** 



**CATELINA CHAIR** 



ULTRASOUND STAND

#### **CONTACT US**



info@morabgroup.com www.morabgroup.com





Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







DRESSING TROLLEY



**FOOD TROLLEY** 



KICK BUCKET



KICK BOWL



KICK BOWL DOUBLE STAND



**OXYGEN TROLLEY** 

## HOSPITAL FURNITURES



**DOUBLE SINK** 



**CHOLERA BED** 



**STEPPER** 

#### **CONTACT US**





info@morabgroup.com www.morabgroup.com









#### **FOLDABLE STRETCHER**



- Aluminum alloy material frame
- Sleeping surface made of PVC color
- Can be folded and packed in a bag
- Dimensions: 110x15x7 cm (folded)
   221x53x15 cm (unfolded)

#### **EMERGENCY PATIENT STRETCHER TROLLEY**

- It's made of high-strength aluminum alloy thick-wall pipe.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- The mechanical foldaway leas are controlled by the handles on both ends of the stretcher.



#### PATIENT STRETCHER



- Stretcher On Trolley-Powder Coated Stretcher Top with
- Stainless Steel Iv Rod
- Oxygen Cylinder Holder
- File Tray
- Side Railings

#### STANDARD WHEEL CHAIR

- Chromed steel frame
- Fixed armrest
- Fixed footrest
- Solid castor
- Solid rear wheels with spokes
- Patient controlled brakes







Address:







#### **WALKER FOLDABLE (ALUMINIUM)**

- Walker foldable
- Aluminum framework
- Height adjustable

#### **WALKING STICKS**

- Made of aluminum
- Height adjustable
- · Chromed steel base





#### **UNDER ARM CRUTCHES**

- Made of aluminum
- Height adjustable
- Different sizes

#### **COMMODE CHAIR FOLDABLE**

- Chromed steel frame
- Height adjustable









Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA





## DENTAL CHAIR UNIT









#### EFFECTIVE CONTROL LEADS TO EFFECTIVE TREATMENT.

- Creating the ideal conditions for efficiency is the guiding principle for the range of control units available on our dental treatment centers.
- As standard configuration, AM5835 is equipped with a highly intuitive 3-digit display panel which allows for instrument speed and power adjustments.
- The optional LCD control panel, with easy-to-read icons, provides comprehensive data regarding instrument parameters and dental uniting operating status, as well as additional keys for semi-automatic hygiene devices and all the customary keys for patient chair movements, lighting and other functions.











#### **DENTAL CHAIR UNIT**

#### STANDARD CONFIGURATION

- Dismountable glass spittoon
- Motor dental chair control system
- 24V noiseless DC under voltage motor chair
- Pure water purified system
- Operating lamp
- X-film viewer
- 3-way syringe with cold/hot water
- Saliva ejector with low suction
- Integrated foot controller
- Dentist stool
- Imported or domestic high speed air turbine hand piece
- Imported or domestic low speed air motor hand piece
- Ultrasonic scalar
- Curing light
- 38L Dental silent oil free air compressor

#### MORE SPECIFICATIONS

- Supplied voltage 220V/50Hz
- Supplied Air pressure 0.5Mpa-0.8Mpa
- Supplied Water pressure 0.2Mpa-0.4Mpa

#### NB

Installation: No charges on installation

Address:







#### **ULTRASONIC SCALER TR-B5**

Power supply: 220V,50HzPower consumption: <20W</li>Vibration frequency: 28-34Khz

• Fuse: 0.5A/250V

• Water pressure: <0.3Mpa

• Dimension: 195mm\*145mm\*77m

Continuous operation

#### SILENT OIL FREE AIR COMPRESSOR



- Oil less air compressor
- Power: 1100w
- Air production capacity (in 0.4mpa): 130l/min
- Supply voltage: 220v
- Supply frequency: 50Hz
- Elecrict current: 7.5A
- Safety valve operationg pressure: 0.8Mpa
- ON/OFF pressure: 0.55/0.75Mpa
- Starting pressure: 0MpaAir container volume: 45l
- Noise: 56-60dB

#### **AMALGAMATOR**



- Controlled by a microprocessor that ensures a precise, controlled, consisted mix with the width of oscillating range, mixing frequencyand selected time 91-99s)
- It's revolve according to "8" model
- Mixing frequency: 4350tr/mn (cpm)
- Amplitude: 25mm
   Functioning intermitted
- Programmable mixing time 1-99sec

**CONTACT US** 





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA







#### **CURING LIGHT**

- Computer aided, fine adjustment and performance reliable
- Lamp lights period setting: 20s/40s.60s easy to change
- Lamp watts: 35w
- Lamp voltage: 14V
- Round feet or flat feet are all available

#### HANDPIECE DOMESTIC HIGH SPEED

- Small head-high torque Dental hand piece
- Design improves accessibility and visibility
- High power dental hand piece enables fast and precise removal of tooth surface and amalgam to improve speed and quility of work and low noise level reduces possibility of audiotory damage and can reduce patient anxiety





#### HANDPIECE DOMESTIC LOW SPEED (3PCS)

- A hand held motor, usually air-driven (can also be electric), that spin a cutting bur or prophy cup at 50,000 RPM or
- Used for performing prophylaxis, rodent dentistry, restorative, orthodontic and endodontic procedures

#### **AUTOCLAVE MACHINE (AM-18LM/24LM)**



24 LITRES



18 LITRES

- Fully stainless steel structure
- Electric or LPG heated
- Double scale indication pressure gauge
- Easy to operate, safe and reliable
- Sterilizing volume: 18L/24L
- Working pressure:0.14-0.16Mpa
- Working temperature: 126X
- Max. safetypressure:0.165Mpa
- Power:AC220V /50Hz/2 KW

#### **CONTACT US**





Address:

Alphana Business Park Old Mombasa Road ICD Area Nairobi-KENYA





# CONTACT US

Contact us, Visit our location or visit our website for review and feedback

#### Address 1



Alphana business Park Old Mombasa Road ICD Area, Nairobi-KENYA

#### Address 2

Omayo Plaza, 2nd Floor Room 34,35 Nyamira, Opposite Nyagi Energy Petrol Station.



Telephone

+254112166455 | +254733363667



Website

www.morabgroup.com



Email

info@morabgroup.com